



TAALAH INDUSTRY

“Saudi Goes Green”



VISION

Enable innovation to create green and sustainable society



MISSION

TAALAH is a manufacturing company dedicated to convert waste plastic materials into commercially valuable products, utilizing environmentally friendly recycling and manufacturing methods.



VALUES

- Innovation
- Integrity
- Quality
- Social Impact

OUR STRATEGICAL PARTNERS



OUR CERTIFICATES



CERTIFICATE OF NUSANED GRADUATION

This certificate is awarded to

Company Name : TALAH INDUSTRIAL CAMPANY

Registration #: N100003691

Project Name : TALA industrial Company

for successfully completing NUSANED requirements to graduate the investment opportunity application.

Abdullah Al-Arifi
Vice President, Local Content
Business Development Unit

Date
25/12/2022



TAAALAH
INDUSTRY

OUR
PRODUCTS



CHOOSE BLACK
BIN
TO LIVE GREEN!

OUR PRODUCT

Plastic waste bins with 2 wheels

Urban Series	Page	Standard Series	Page	Premium Series	Page	H Series	Page
60 L	12	120 L	22	120 L	28	240 L	32
80 L	14	140 L	24	240 L	30	Container and bins for bio waste	34
120 L	16	240 L	26				
240 L	18						
360 L	20						

Plastic waste containers with 4 wheels

Premium Series	Page	Urban Series	Page
660 L	37	1100 L Flat lid New	46
770 L	39		
1100 L Flat lid	41		
1100 L Round lid	43		

Litter bins

Post mounted bins	Page
DIN 50 L	49
Stilo 30 L New	51

Free-standing bins

	Page
Stilo 100 L, Stilo 80 L NEW	52-53
Stilo Select 4x40 L, Roto 100 L NEW	54- 56
Selecta	58
Trio 60 L, 80 L, 100 L	61
Classic 85	63
Waste bin 60 L PRO	65
Pressboy 35 L	67








WASTE BIN 60 L

URBAN SERIES



Recycling inserts for
waste sorting and gravity
lock



Fastening clamps with seal



Color Clip marking with
Braille inscription

TECHNICAL DATA

Volume: 60 L

Dimensions: 445 × 522 × 935 mm

Weight: 8.5 KG (± 3%)

Max payload (load capacity):

- max loading weight 24 KG (± 5%)
- max total weight 50 KG (±5%)

Wheels: 2 rubber wheels Ø 200 mm

Material: HDPE

Temperature resistant: -30°C to +80°C


CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle - protects the touch point from dirt
- Chip nest

OPTIONS


- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 80 L

URBAN SERIES



Recycling inserts for
waste sorting and gravity
lock



Fastening clamps with seal



Plastic foot pedal

TECHNICAL DATA

Volume: 80 L

Dimensions: 445 × 522 × 935 mm

Weight: 8.5 KG (8.2 KG with pedal) (+/- 3%)

Max payload (load capacity):

- max loading weight 32 KG (± 5%)
- max total weight 50 KG (±5%)

Wheels: 2 rubber wheels Ø 200 mm

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle - protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

OPTIONS


- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Food pedal
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 120 L

URBAN SERIES



Recycling inserts for
waste sorting and gravity
lock



Fastening clamps with seal



Color Clip marking with
Braille inscription

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 × 555 × 954 mm

Weight: 8.2 KG (3%)

Max payload (load capacity):

- max loading weight 48 KG (± 5%)
- max total weight 60 KG (±5%)

Wheels: 2 rubber wheels Ø 200 mm (optional Ø250mm)

Material: HDPE

Temperature resistant: -30°C to +80°C


CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle - protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

OPTIONS

- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Food pedal
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 240 L

URBAN SERIES



Recycling inserts for
waste sorting and gravity
lock



Honey-comb receiver



Color Clip marking with
Braille inscription

TECHNICAL DATA

Volume: 240 L

Dimensions: 580 × 740 × 1083 mm

Weight: 12.8 KG (3%)

Max payload (load capacity):

- max loading weight 96 KG (± 5%)
- max total weight 110 KG (±5%)

Wheels: 2 rubber wheels Ø 200 mm (optional Ø 250mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle - protects the touch point from dirt
- Chip nest

OPTIONS

- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking: hot stamping, hot foil, labeling
- Fastening clamps with or without rubber seal
- Coloured clips for waste identification
- Food pedal
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 360 L

URBAN SERIES



Recycling inserts for
waste sorting and gravity
lock



Honey-comb receiver



Color Clip marking with
Braille inscription

TECHNICAL DATA

Volume: 360 L

Dimensions: 596 × 880 × 1099 mm

Weight: 15.4 KG (3%)

Max payload (load capacity):

- max loading weight 144 KG (± 5%)
- max total weight 160 KG (±5%)

Wheels: 2 rubber wheels Ø 200 mm (optional Ø250mm or 300mm)

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle - protects the touch point from dirt
- Chip nest

OPTIONS

- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking: hot stamping, hot foil, labeling
- Coloured clips for waste identification
- Food pedal
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 120 L

STANDARD SERIES



Foot pedal - Handles lid opening



Locking system: Manual lock/
Gravity lock

* Other options on request



Marking: labels / thermo-transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 × 554 × 930 mm

Weight: 9 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 48 KG (+/- 5%)
- max total weight 60 KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 2 rubber wheels ø 200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Two-handle lid
- Chip nest

OPTIONS

- Food pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 140 PL

STANDARD PL SERIES



Recycling inserts for
waste sorting



Foot pedal - Handles lid
opening



Locking system: Manual lock/
Gravity lock

* Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 140 L

Dimensions: 480 × 550 × 1060 mm

Weight: 9.6 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 56 KG (+/- 5%)
- max total weight 70 KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 2 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Lip Handle - protects the touch point from dirt
- Chip nest

OPTIONS


- Food pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- Noise reduction
- Coloured clips for waste identification
- Recycling inserts
- RFID Chip

STANDARD COLORS (apx)



WASTE BIN 240 L

STANDARD SERIES



Foot pedal - Handles lid opening



Locking system: Manual lock/
Gravity lock

*Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 580 × 740 × 1070 mm

Weight: 12.60 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 96 KG (+/- 5%)
- max total weight 110KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 2 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Reinforced comb receiver (honey-comb structure)
- Chip nest
- Two-handle lid

OPTIONS

- Food pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)




WASTE BIN 120 L

PREMIUM SERIES



Recycling inserts for
waste sorting



Foot pedal - Handles lid
opening



Locking system: Manual lock/
Gravity lock

*Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 120 L

Dimensions: 480 × 550 × 964 mm

Weight: 9.1 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 48 KG (+/- 5%)
- max total weight 60 KG (+/- 5%)

Material: HDPE

Wheels: 2 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls - form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle - protects the touch point from dirt
- Axle bearing in the stack edge of bin
- Foot board
- Chip nest

OPTIONS

- Food pedal
- Triangular lock
- Marking: hot stamping, hot foil, labeling
- Noise reduction
- Coloured clips for waste identification
- Recycling inserts
- RFID Chip

STANDARD COLORS (apx)




WASTE BIN 240 L

PREMIUM SERIES



Recycling inserts for
waste sorting



Foot pedal - Handles lid
opening



Locking system: Manual lock/
Gravity lock

*Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 578 × 734 × 1080 mm

Weight: 12.80 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 96 KG (+/- 5%)
- max total weight 110KG (+/- 5%)

Material: HDPE

Wheels: 2 rubber wheels ø 200

(optional ø 250)

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls - form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Lip Handle - protects the touch point from dirt
- Foot board
- Chip nest

OPTIONS

- Food pedal
- Gravity lock, triangular lock
- Lip-Handle cover
- Marking: hot stamping, hot foil, labeling
- Noise reduction
- Colored clips for waste identification
- Recycling inserts
- RFID Chip

STANDARD COLORS (apx)




WASTE BIN 240 L

H SERIES



Recycling inserts for
waste sorting



Foot pedal - Handles lid
opening



Locking system: Manual lock/
Gravity lock

*Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 240 L

Dimensions: 585 × 740 × 1070 mm

Weight: 12.80 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 96 KG (+/- 5%)
- max total weight 110KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 2 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free steel axle
- Additional reinforcement on walls - form of curved surface
- Reinforced comb receiver (honey-comb structure)
- Two handle lid
- Additional handle on the front wall
- Chip nest

OPTIONS

- Food pedal
- Gravity lock, triangular lock
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)



Containers and bins for bio waste

Organic bio waste originates from plant or animal sources and is predominantly stored in bio waste containers. During the process of transformation into compost the existing juices evaporate, which lead to lower weight and volume of the organic waste.



THE BIOFILTER LID “System Biologic TM”



FOLDABLE GRID FOR BIN



TECHNICAL DATA

Wheels bin with 2 wheels

Volume: 120lt, 140lt, 240lt

Material: HDPE

Color: brown

TECHNICAL DATA

Wheels container with 4 wheels

Volume: 660lt, 770lt, 1100lt

Material: HDPE

Color: brown

LATERAL HOLES

Enable air circulation for easier drying and reduction of unpleasant odours.

- Optimal air circulation from the bottom to the top, maintaining an adequate oxygen level
- Reduce gases, and thus the bad odours
- Creates a favorable composting environment
- Option: lid distance rubber cushion for additional ventilation

THE BIOFILTER LID

“System Biologic TM”

Our 2-wheel bins from 60 to 240L can be upgraded with the Bio Filter lid. The filter contains active micro-organisms which degrade bad smell and initiate composting.

Note: The Bio Filter should only be mounted on bins without lateral holes.

FOLDABLE GRID FOR BIN

- Made of plastic, without metal parts, attached to the body with 2 plastic hinges
- It separates the bio waste in 2 sections-the fluids drop down, while the dry content is kept above.
- The grid is hinged on an axle so that it can be lifted into a vertical position thus:
- Facilitating the collection process Allowing washing of the bin bottom

PART OF CITY PULSE



Plastic bins solutions

Plastic Containers with 4 wheels

Plastic waste containers are made of high density polyethylene polyethylene according to the European standard EN-840, environmentally friendly production, resistant to temperature, temperature, chemicals and UV radiation. Containers are recyclable. recyclable.




PLASTIC CONTAINER 660 L

(with flat lid)

PREMIUM SERIES



Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock/
Gravity lock

*Other options on request



Marking: labels / thermo-transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 660 L

Dimensions: 1370 × 778 × 1228 mm

Weight: 38 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 264 KG
- max total weight 310KG

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 4 rubber wheels ø 200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle-protects the touch point from dirt
- Plug at the bottom
- Chip nest

OPTIONS

- Side receivers side handle
- Gravity lock, triangular lock
- Food pedal
- Recycling inserts for glass and packaging
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)




PLASTIC CONTAINER 770 L

(with flat lid)

PREMIUM SERIES



Recycling inserts for
waste sorting



Foot pedal - Handles lid
opening



Locking system: Manual lock/
Gravity lock
*Other options on request



Marking: labels / thermo-
transfer / hot-stamping /
tool embosing

TECHNICAL DATA

Volume: 770 L

Dimensions: 1370 × 778 × 1365 mm

Weight: around 40 KG (+/- 5%)

Max payload (load capacity):

- max loading weight 308 KG
- max total weight 360KG

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 4 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle-protects the touch point from dirt
- Plug at the bottom
- Chip nest

OPTIONS

- Side receivers side handle
- Gravity lock, triangular lock
- Food pedal
- Recycling inserts for glass and packaging
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)




PLASTIC CONTAINER 1100 L


(with flat lid) PREMIUM SERIES



HOOD “hood” in the lid



(Lid in Lid) For easier handling of the smaller waste-option “lid in the lid



Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock/ Gravity lock Other options on request



Marking: labels / thermo-transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 × 1070 × 1344 mm

Weight: 46 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 440 KG
- max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 4 rubber wheels Ø 200


CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle-protects the touch point from dirt
- Plug at the bottom
- Chip nest

OPTIONS

- Side receivers side handle
- Gravity lock, triangular lock
- Food pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)




PLASTIC CONTAINER 1100 L


(with round lid) PREMIUM SERIES



HOOD “hood” in the lid



(Lid in Lid) For easier handling of the smaller waste-option “lid in the lid



Recycling inserts for waste sorting



Foot pedal - Handles lid opening



Locking system: Manual lock/ Gravity lock Other options on request



Marking: labels / thermo-transfer / hot-stamping / tool embosing

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 × 1070 × 1461 mm

Weight: 54 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 440 KG
- max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 4 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Plug at the bottom
- Chip nest

OPTIONS

- Side receivers side handle
- Triangular lock
- Food pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)




URBAN WAY OF LIFE



WASTE BIN 1100 L (New)

(With flat lid) URBAN SERIES



Hood and Gravity lock



Foot pedal



Lid in Lid

TECHNICAL DATA

Volume: 1100 L

Dimensions: 1370 × 1074 × 1355 mm

Weight: 46 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 440 KG
- max total weight 510 KG

Material: HDPE

Temperature resistant: -30°C to +80°C

Wheels: 4 rubber wheels Ø 200

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle-protects the touch point from dirt
- Plug at the bottom
- Chip nest

OPTIONS

- Side receivers side handle
- Gravity lock, triangular lock
- Food pedal
- Recycling inserts for glass and packaging
- Lid in Lid
- Marking: hot stamping, hot foil, labeling
- RFID Chip

STANDARD COLORS (apx)



DECORATION OF EVERY PROMENADE



Free-standing bins

New Stilo line metal Litter bins with aesthetics guided by function. Galvanized steel throughout with powder coated finish guarantee strength, durability and functionality. Hinged door for ease of emptying. Integrated ashtray. Removable, strong and durable HDPE insert



DIN 50 L



Marking: labels/thermo-transfer/hot-stamping



Locking system: Manual lock
*Other options on request



Locking system: Manual lock
*Other options on request

TECHNICAL DATA

Volume: 50 L

Dimensions: 430 × 340 × 740 mm


Weight: 4 KG (+/- 5%)

Material: HDPE


Temperature resistant: -30°C to +80°C

- Marking
- Hot stamping
- Stainless steel pole on which can be mounted one or two bins
- Color: green, orange, dark, grey, light grey

STANDARD COLORS (apx)



STILO 30 L



TECHNICAL DATA

Volume:

- 30 L


Dimensions:

- Height 690 mm
- Width 320 mm
- Depth 280

Options:

- Choice of colors
- Doors with wooden inserts

STILO 100 L



TECHNICAL DATA

Volume:

- 100 L


Dimensions:

- Height 1305 mm
- Width 500 mm
- Depth 480

Options:

- Choice of colors
- Doors with wooden inserts

STILO 80 L



TECHNICAL DATA

Volume:

- 80 L

Dimensions:

- Height 1180 mm
- Width 500 mm
- Depth 480

Options:

- Choice of colors
- Doors with wooden inserts

STILO SELETC (NEW)



TECHNICAL DATA

Volume:

- 4 × 40 L


Dimensions:

- Height 1142 mm
- Width 1378 mm
- Depth 380 mm

Options:

- Choice of colors

ROTO 100 (NEW)



TECHNICAL DATA

Volume: 100 L

Dimensions: 566 × 556 × 1193 mm

FEATURES


- Made of high-quality LDPE
- Resistant to aggressive materials and extreme weather conditions
- Hinged door with inner HDPE liner

OPTIONS

- Locking mechanism
- Marking by labeling
- Hot stamping or thermo-transfer technology
- Integrated ashtray

SELECTA

Recycling set



TECHNICAL DATA

Volume: 4× 40 L

Dimensions: 1388 × 368 ×813

Weight: 26 KG (± 5%)

Set with 4 independent recycling apertures

Made of high quality LDPE

Resistant to aggressive materials and extreme weather conditions

FEATURES

- Compact recycling set with 4 fraction made of LDPE
- Emptying door with 4 recycling inserts on top surface
- Open apertures in different colors and shapes to facilitate waste disposal
- Large front wall surface suitable for placing decorative plates and promotional message

OPTIONS

- Locking mechanism
- Marking by labeling, hot stamping or thermo-transfer technology
- Tailor-made engraved or printed decorative plates

KEEP HARMONY IN YOUR GARDAN!



- Environment friendly
- Long life expectancy
- Can be recycled
- Frost-proof
- High UV light resistance



WASTE BIN TRIO

60L



80L



100L



TECHNICAL DATA

Volume: 60 L

Dimensions: 500 × 650 mm

Weight: approx. 4.0 KG (+/- 3%)

Material: HDPE

TECHNICAL DATA

Volume: 80 L

Dimensions: 500 × 820 mm

Weight: approx. 5.00 KG (+/- 3%)

Material: HDPE

TECHNICAL DATA

Volume: 100 L

Dimensions: 500 × 950 mm

Weight: approx. 6.00 KG (+/- 3%)

Material: HDPE

OPTIONS:

Marking

Hot stamping

COLORS



CLASSIC BIN 85 L



Solid/HDPI



Lid with handle

TECHNICAL DATA

Volume: 85 L

Dimensions: 560 × 520 × 710 mm

Weight: around 5 KG (+/- 3%)

Material: HDPE, UV-stabilized, resistant to high and low temperatures

Body of bin in form of a roll Lid with handle

Temperature resistant: -30°C to +80°C

Making: Labels

Colors: Black


STANDARD COLORS (apx)



Other colors on requested

WASTE BIN 60 L PRO

URBAN SERIES



Recycling inserts and
gravity lock



Pedal



Color Clip marking with
Braille inscription

TECHNICAL DATA

Volume: 60 L

Dimensions: 445 × 522 × 690 mm

Weight: 5.20 KG (+/- 3%)

Max payload (load capacity):

- max loading weight 24 KG (+/- 2%)
- max total weight 50 KG (+/- 5%)

Material: HDPE

Temperature resistant: -30°C to +80°C

CHARACTERISTICS

- Galvanized, corrosion-free metal parts
- Reinforced comb receiver (honey-comb structure)
- Additional reinforcement on walls - form of curved surface
- Lip Handle-protects the touch point from dirt
- Axle bearing in the stack at the edge of container
- Chip nest

OPTIONS

- Gravity lock, triangular lock
- Noise reduction
- Recycling inserts for glass, paper or aluminum
- Marking: hot stamping, hot foil, labeling
- Colored clips for waste identification
- Food pedal
- RFID Chip

STANDARD COLORS (apx)



PRESSBOY



TECHNICAL DATA

Volume: 35L

Dimensions: 325 × 245 × 485 mm

Reduces garbage: makes out of only 1 garbage bag with specials PRESSBOY™ bags with tiring tape and scent of vanilla-biodegradable

- Waste bin with integrated pressing device
- Small box for collection of garbage in the kitchen, bathroom, WC, in the house, in the bureau
- For waste such as plastic, paper, organic, refuse waste

EASY TO USE

1. Draw out integrated pressing stamp
2. Press the waste collection in the bin.
3. Put the pressing stamp back
4. Ready

VIDEO PRESSBOY™
instruction manual





TAALAH
INDUSTRY

Contact us at:



+966 56 110 0104



www.taalah.com.sa



info@Taalah.com.sa
saleh@Taalah.com.sa